Release Notes for the 2012B Manual

Section	Rationale	Description
Admission Type	To acknowledge source of data element	Add the following credit line and copyright: Reprinted from National Uniform Billing Committee Official UB-04 Data Specifications Manual by permission, Copyright 2011, by American Hospital Association.
Antenatal Steroids	To update gestational age range according to current practice.	Change the description from:
		Patients at risk of preterm delivery at 24 0/7-32 0/7 weeks gestation receiving antenatal steroids prior to delivering preterm newborns
		TO:
		Patients at risk of preterm delivery at >=24 and <32 weeks gestation receiving antenatal steroids prior to delivering preterm newborns
		Change the denominator statement from:
		Patients delivering live preterm newborns with 24 0/7-32 0/7 weeks gestation completed
		TO:
		Patients delivering live preterm newborns with >=24 and <32 weeks gestation completed
		Change algorithm denominator statement from:
		Patients delivering live preterm newborns with 24 0/7-32 0/7 weeks gestation completed
		TO:
		Patients delivering live preterm newborns with >=24 and <32 weeks gestation completed
Discharge Status	To acknowledge data element source.	Add the following credit line and copyright: Reprinted from National Uniform Billing Committee Official UB-04 Data Specifications Manual by permission, Copyright 2011, by American Hospital Association.

Elective Delivery	To update inclusion and exclusion criteria for the measure.	 Add under denominator included populations: ICD-9-CM Principal Diagnosis Code or ICD-9-CM Other Diagnosis Codes for planned cesarean section in labor as defined in Appendix A, Table 11.06.1 Add under denominator excluded populations Prior uterine surgery Add under denominator data elements: Prior Uterine Surgery Add a new data element Prior Uterine Surgery Add a new branch to verify ICD-9-Cm Principal or
		Other Diagnosis Codes on Table 11.06.01
Gestational Age	To clariy how gestational age is captured from the medical record.	Remove from the Notes for Abstraction: ONE EXCEPTION ONLY: When the gestational age is documented as 32 weeks and 1-6 days gestation then the value should be rounded up to 33. If an ultrasound was performed prior to the first 20 weeks of pregnancy and there is a discrepancy of > 6 days based on the last menstrual period date, the ultrasound should be used to determine final gestational age.
Health Care-Associated Bloodstream Infections in Newborns	To update inclusions to the denominator and numerator populations.	 Change under numerator included populations: ICD-9-CM Other Diagnosis Codes for septicemias as defined in Appendix A, Table 11.10.1 OR One or more ICD-9-CM Other Diagnosis Codes for newborn septicemia or bacteremia as defined in Appendix A, Table 11.10 and one diagnosis code for newborn bacteremia from Table 11.11 TO:

• ICD-9-CM Other Diagnosis Codes for septicemias or bacteremias as defined in Appendix A, Table 11.10.2 **Change** under Denominator Included Populations: • ICD-9-CM Other Diagnosis Codes for birth weight between 500 and 1499g as defined in Appendix A, Table 11.12, 11.13 or 11.14 OR Birth Weight between 500 and 1499g TO: • ICD-9-CM Other Diagnosis Codes for birth weight between 500 and 1499g as defined in Appendix A, Table 11.12, 11.13, 11.13.1 or 11.14 OR Birth Weight between 500 and 1499g **Change** under Denominator Included Populations: • ICD-9-CM Other Diagnosis Codes for birth weight ≥ 1500g as defined in Appendix A, Table 11.15.11.16 or 11.17 OR Birth Weight ≥ 1500g who experienced one or more of the following: TO: • ICD-9-CM Other Diagnosis Codes for birth weight ≥ 1500g as defined in Appendix A. Table 11.15,11.16, 11.16.1 or 11.17 OR Birth Weight ≥ 1500g who experienced one or more of the following: Algorithm: **Add** Table 11.13.1 and 11.16.1 into *ICD-9-CM* Other Diagnosis Codes check **Remove** branches of *ICD-9-CM Other Diagnosis* Codes on Table 11.10.1, Table 11.10 and Table 11.11 **Add** a new branch of *ICD-9-CM Other Diagnosis* Codes on Table 11.10.2 Perinatal Care To update Add Tables 11.13.1 and 11.16.1 to the BSI inclusions to inclusion population definition and population flow. the BSI initial

	patient population.	
Point of Origin for Admission or Visit	To acknowledge data element source.	Add the following credit line and copyright: Reprinted from National Uniform Billing Committee Official UB-04 Data Specifications Manual by permission, Copyright 2011, by American Hospital Association.
Prior Uterine Surgery	To update exclusions.	This is a new data element.
Reason for Not Exclusively Feeding Breast Milk	To update inclusions.	Add under the Inclusions: Adoption or foster home placement of newborn Previous breast surgery, i.e., bilateral mastectomy, bilateral breast reduction or augmentation where the mother is unable to produce breast milk
a. Table of Contents		Updated to Version 2012B manual: Updated release notes PDF and PC/HBIPS Manual PDFs.
z. Appendix A - ICD-9-CM Code Tables	To update code tables.	 * Add Table 11.06.1 Planned Cesarean Section in Labor * Add code 655.71 to Table 11.07 • Delete Tables 11.10.1 and 11.11 • Note Table 11.10.2 has been renamed septicemias or bacteremias and has numerous updates. Please review closely. • Add Table 11.13.1 Birth Weight 500-999 Grams • Add code V21.33 to Table 11.14 • Add code V21.34 to Table 11.15 • Add Table 11.16.1 Birth Weight 2000-2500 Grams • Note Table 11.18 has numerous updates. Please review closely. • Add code V21.31 to Table 11.20
z. Appendix C - Glossary of Terms	To update list of measure definitions.	Add the following term: newborn A very young child from birth to one year who has not yet begun to walk or talk.