

# Release Notes for the 2018B1 Manual

## Measure Information Forms

Section	Rationale	Description
PC	<p>Updates in verbiage in PC Initial patient population section for clarification. Removed Length of Stay &lt;= 120 days for PC-06 Initial patient population.</p>	<p>Initial Patient Population</p> <p><b>Change from:</b> Newborns with BSI and Unexpected Complications The Newborns with BSI population and PC-Newborns with Unexpected Complications <i>are not eligible</i> for sampling and will use the entire Newborns with BSI Initial Patient sampling group for reporting.</p> <p><b>Change To:</b> Newborns with BSI and Unexpected Complications The Newborns with BSI population and PC-Newborns with Unexpected Complications population <i>are not eligible</i> for sampling. Report the entire Newborns with BSI Initial Patient Population group, and the entire PC-Newborns with Unexpected Complications Initial Patient Population group for reporting.</p> <p><b>Remove:</b> Length of Stay (Discharge Date - Admission Date) ≤ 120 days from Newborns with Unexpected Complications</p>
PC-06	<p>Added a sentence to Rationale to clarify how length of stay modifiers are used in the measure. Revised the numerator population to clarify that transfers to higher level of care are to be included and to correct a typo. Revised references throughout the measure related to birth weight to be consistent with inclusion of birth weight of 2500 gm or over. Added clarification in denominator exclusions to check birth weight when missing term status.</p> <p>In the algorithm, correct the allowable values for Term Newborn to match the data element, UTD is encompassed by No. Add separate branch for missing Birth Weight. Simplified</p>	<p><b>Rationale:</b> <b>Add:</b> This measure also uses length of stay (LOS) modifiers to guard against overcoding and undercoding of diagnoses.</p> <p><b>Numerator Included Populations</b> <b>Change</b> second bullet <b>From:</b> Transfer to a another acute care facility <b>To:</b> Transfer to another acute care facility for higher level of care</p> <p><b>Denominator Statement:</b> <b>From:</b> Liveborn single term newborns over 2500 gm in birth weight. <b>To:</b> Liveborn single term newborns 2500 gm or over in birth weight.</p> <p><b>Denominator Excluded Populations</b> <b>Change</b> second bullet <b>From:</b> ICD-10-CM Principal Diagnosis Code or ICD-10-CM Other Diagnosis Codes for birth weight &lt;= 2500g as defined in Appendix A, Table 11.12, 11.13, 11.14, 11.15 or 11.16 OR Birth Weight &lt;= 2500g <b>To:</b> ICD-10-CM Principal Diagnosis Code or ICD-10-CM Other Diagnosis Codes for birth weight &lt; 2500g as defined in Appendix A, Table 11.12, 11.13, 11.14, 11.15, 11.16, 11.20 OR Birth Weight &lt; 2500g</p>

	flow for types of birth. Added two Discharge Disposition codes to Severe Numerator and revised the branches.	<p><b>Add</b> fourth bullet Patients whose term status or gestational age is missing and birthweight &lt; 3000 gm</p> <p><b>Measure Algorithm:</b>  <b>Delete</b> UTD for <i>Term Newborn</i>  <b>Delete</b> check of Table 11.20.3  <b>Change</b> Missing <i>Birth Weight</i> to separate branch  <b>Add</b> Discharge Disposition 3 and 5 to Severe Numerator; <b>Change</b> branch <b>From</b> Not 4, 6 or Missing <b>To</b> 1, 2, 7, 8</p>
--	--------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

## Data Elements

Section	Rationale	Description
Discharge Disposition	To clarify that for PC measures only it is acceptable to utilize electronic data sources to capture this data element. Add guidance for how to abstract a record when a newborn is transferred to another healthcare facility for purposes other than to receive a higher level of care.	<p><b>Notes for Abstraction:</b>  <b>Add:</b></p> <ul style="list-style-type: none"> <li><b>For PC Only:</b> Hospitals are encouraged to utilize a data source that reduces unnecessary medical record review e.g., using vital records, delivery logs or clinical information systems as a data source. Mapping from electronic administrative sources to the allowable values is acceptable.</li> <li><b>For PC-06 Only:</b> If a newborn is transferred to another acute care facility for purposes other than medical treatment or the need for a higher level of care, abstract allowable value 8. Examples include: Newborn is transferred to another facility covered by their healthcare plan or for disaster evacuation.</li> </ul> <p><b>Suggested Data Sources:</b>  <b>Add:</b>  <b>PC ONLY Excluded Data Source</b></p> <ul style="list-style-type: none"> <li>Any documentation prior to the last two days of hospitalization</li> </ul>
Large Vessel Occlusion (LVO)	Correct Typo.	Collected For: <b>Remove</b> CSTK
MER Eligibility	Correct Typo.	Collected For: <b>Remove</b> CSTK

## Supplemental Materials

Section	Rationale	Description
Appendix A - ICD-10 Code Tables	Updates to Appendix A PC-06 tables made to align with the original measure and corrected the title of Table 11.45.	<p>Table 11.31 Fetal conditions  <b>Remove:</b>  P0270 Newborn affected by fetal inflammatory response syndrome  P0278 Newborn affected by other conditions from chorioamnionitis</p> <p>Table 11.33 Neonatal Jaundice  <b>Remove:</b>  P582 Neonatal jaundice due to infection</p>

		<p>Table 11.36 Severe Birth Trauma  <b>Remove:</b>  P113 Birth injury to facial nerve  P153 Birth injury to eye</p> <p>Table Number 11.39: Neonatal Severe Respiratory Complications  <b>Remove</b>  P2401 Meconium aspiration with respiratory symptoms</p> <p>Table 11:45  <b>Change</b> title name  <b>From:</b> Table 11.45: Neonatal Severe Infection  <b>To:</b> Table 11.45: Neonatal Severe Septicemia</p> <p>Table 11.49 Moderate Birth Trauma with LOS  <b>Remove:</b>  P035 Newborn affected by precipitate delivery  P036 Newborn affected by abnormal uterine contractions  P03810 Newborn affected by abnormality in fetal (intrauterine) heart rate or rhythm before the onset of labor  P03811 Newborn affected by abnormality in fetal (intrauterine) heart rate or rhythm during labor  P03819 Newborn affected by abnormality in fetal (intrauterine) heart rate or rhythm, unspecified as to time of onset  P0389 Newborn affected by other specified complications of labor and delivery  P039 Newborn affected by complication of labor and delivery, unspecified  <b>Add:</b>  P024 Newborn affected by prolapsed cord  P134 Fracture of clavicle due to birth injury  P154 Birth injury to face  P501 Newborn affected by intrauterine (fetal) blood loss from ruptured cord  P518 Other umbilical hemorrhages of newborn  P519 Umbilical hemorrhage of newborn, unspecified  P613 Congenital anemia from fetal blood loss</p> <p>Table 11.50 Moderate Respiratory Complications with LOS  <b>Remove:</b>  P2410 Neonatal aspiration of (clear) amniotic fluid and mucus without respiratory symptoms  P2420 Neonatal aspiration of blood without respiratory symptoms  <b>Add:</b>  P2481 Other neonatal aspiration with respiratory symptoms  P2401 Meconium aspiration with respiratory symptoms</p>
Sampling	Addition of STK outpatient measure.	Added STK outpatient data element where necessary.
Transmission of Data	ASR measure information added into data transmission section. Outpatient elements removed	Data Transmission Section: <b>Add</b> Outpatient Clinical and Population data verbiage. <b>Add</b> ASR data transmission information where necessary.

from the inpatient XML file layout.  
Added new outpatient XML file  
layout.

XML layouts:  
**Add** Outpatient Clinical XML layout.  
**Add** Outpatient Population XML layout.  
**Change** Inpatient XML layout removed outpatient elements.